

T 6 N

R 4 W



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Greene County are stored on microfilm Reel 4660 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N. VI North, Range N. IV West 2nd Meridian. Surveyed by Arthur Henric

Description of the Soil on the interior Sectional lines.

Section	Quality of Soil	Section	Quality of Soil	Section	Quality of Soil
35.36	Land Rolling - Timber Oak, Hickory, May, Dogwood, Oak	33.34	Land Rolling - Timber Oak, Hickory, May, Dogwood, Oak	31.32	Land Rolling - Timber Oak, Hickory, May, Dogwood, Oak
25.30	ditto	27.34	ditto	29.32	ditto
25.26	ditto	27.28	ditto	29.30	ditto
24.25	ditto	26.27	ditto	28.29	ditto
23.24	ditto	25.26	ditto	27.28	ditto
13.24	ditto	15.22	ditto	17.20	ditto
13.14	ditto	15.16	ditto	17.18	ditto
12.13	ditto	14.15	ditto	16.17	ditto
11.12	ditto	13.14	ditto	15.16	ditto
1.12	ditto	3.10	ditto	5.8	ditto
1.2	ditto	3.4	ditto	5.8	ditto
34.33	Land Rolling - Timber Oak & Hickory	32.33	ditto	6.7	ditto
26.33	ditto	28.33	ditto	7.18	ditto
26.29	ditto	28.29	ditto	18.19	ditto
23.26	ditto	21.28	ditto	19.30	ditto
22.23	Land Rolling - Timber Oak & Hickory	20.21	ditto	20.31	ditto
14.23	ditto	16.21	ditto		
14.13	ditto	16.17	ditto		
11.14	ditto	9.16	ditto		
10.11	ditto	8.2	ditto		
2.11	ditto	4.9	ditto		
2.3	ditto				

South Boundary

West On a Random line On the South Boundary of sec. 36.
T. 6. N. R. 4 W.

40,00 Set a temporary 1/4 sec post.

80,00 Set a temporary post for the cor of sec. 35 & 36.
Sands Silty Timber Oak, & Hickory

West On a Random line On the South Boundary of sec. 35.
T. 6. N. R. 4 W.

31.50 A Brook 10 links wide corner S.

40,00 Set a temporary 1/4 sec post.

80,00 Set a temporary post for the cor of sec. 34 & 35.
Sands the same.

West On a Random line On the South Boundary of sec. 34.
T. 6. N. R. 4 W.

40,00 Set a temporary 1/4 sec post.

80,00 " " " post for the cor of sec. 33 & 34.
Sands the same.

West On the Random line On the South Boundary of sec. 33.
T. 6. N. R. 4 W.

40,00 Set a temporary 1/4 sec post.

80,00 Set a temporary post for the cor of sec. 32 & 33.
Sands the same.

West On the Random line On the South Boundary of sec. 32.
T. 6. N. R. 4 W.

40,00 Set a temporary 1/4 sec post.

80,00 Set a temporary post for the cor of sec. 31 & 32.
Sands the same.

West On a Random line On the South Boundary of sec. 31.

40,00 Set a temporary 1/4 sec post.

T. N. C. N. R. N. 477 Dna Mer. Ind.

7408 Intersect the Range line 8 miles North of the cor
of S. 576. N. R. 475 W.
Land the same as last mile.

East On the line On the South Boundary of Sec. 31
T. C. N. R. 477. var. E. 30° E.

3408 Set the temp. 74 su post at the time line from which
a Hogwood 6 in dia. beam S 84 E. 24 miles dist. 8 a
W Oak. 9 " " S 68 W. 15 " "

7408 Set the temp. 74 su post on the time line from
which, 7 Oak. 8 in dia. beam N 15 E. 13 miles dist.
and a Ho. 8 " " S 79 W. 18 " "

East On the time line On the South Boundary of Sec. 32
T. C. N. R. 477.

4000 Set the temp. 74 su post on the time line from which
B Oak. 7 in dia. beam N 12 E. 28 miles dist. 8 a
Ho. " " " S 77 W. 22 " "

8000 Set the temp. 74 su post on the time line for the cor of Sec.
32 133 from which
W Oak. 18 in dia. beam N 81 E. 42 miles dist. 8 a
Gum. 7 " " S 56 E. 33 " "

East On the time line On the South Boundary of Sec. 33
T. C. N. R. 477.

4000 Set the temp. 74 su post at the time line from which
Gum. 9 in dia. beam N 74 E. 19 miles dist. 8 a
W Oak. 12 " " S 8 E. 3 " "

8000 Set the temp. 74 su post on the time line for the cor of Sec. 33 134
from which, W Oak. 12 in dia. beam S 38 E. 36 miles dist.
and a Ho. 18 " " N 26 W. 28 " "

East On the time line On the South Boundary of Sec. 34

T. N. C. N. R. N. 477 Dna Mer. Ind.

T. C. N. R. 477

4000 Set the temp. 74 su post on the time line from which
B Oak. 12 in dia. beam S 79 E. 13 miles dist. 8 a
Gum. 8 " " S 14 E. 45 " "

8000 Set a post temp. 74 su on the time line for the cor of Sec. 34 135
from which, W Oak. 10 in dia. beam S 61 E. 42 miles dist.
and a Gum. 10 " " N 7 E. 23 " "

East On the time line On the South Boundary of Sec. 35
T. C. N. R. 477.

4000 Set the temp. 74 su post on the time line from which
W Oak. " in dia. beam N 51 E. 34 miles dist. 8 a
Ho. 18 " " S 54 W. 12 " "

8000 Set the temp. 74 su post on the time line for the cor of Sec.
35 136 from which,
Gum. 8 in dia. beam N 25 W. 18 miles dist.

East On the time line On the South Boundary of Sec. 36
T. C. N. R. 477.

4000 Set the temp. 74 su post on the time line from which
B Oak. 20 in dia. beam N 10 E. 2 miles dist.

8000 Set the cor of Sec. 36 137 T. C. N. R. 477.

East Boundary.

I 10.

North On the East Boundary of Sec. 36 T. C. N. R. 477

4000 Set a su post from which a var. E. 60° 30' E.
Hogwood 7 in dia. beam S 4 W. 40 miles dist. 8 a
Hickory 10 " " N 38 W. 14 " "

8000 Set a post for the cor of Sec. 36 138 from which,
B Oak. 18 in dia. beam N 7 E. 13 miles dist. 8 a
W Oak. 8 " " S 64 E. 10 " "
Land line Timber Oak, 8 Hickory

T. N^o 6. N. R. N^o 4. N. D. M. Ind.

North On the East Boundary of Sec. 25 T. 6. N. R. 4. W.
 40.00 A Gum 10 in dia. stands for the cor of $\frac{1}{4}$ sec
 01.10 To a B Oak 20 in dia. in the line.
 80.00 Set a post for the cor of sec 24 & 25 from which,
 W Oak 20 in dia. bears N 77 W 37 links dist.
 Lands rolling timber Oak & Hick. Soil thin & stony.

North On the East Boundary of Sec. 13 & 24 T. 6. N. R. 4. W.
 28.30 To a Brook 10 links mid. course W.
 40.00 Set a $\frac{1}{4}$ sec post from which
 Hick. in dia. bears N 55 W 28 links dist. & a
 Do. 9 " " " S 74 W 42 " "
 80.00 Set a post for the cor of sec. 13 & 24 from which,
 Gum 7 in dia. bears S 87 W 23 links dist. & a
 Sugar 7 " " " S 45 E. 11 " "
 Lands the same.

North On the East Boundary of Sec. 13. T. 13. T. 6. N. R. 4. W.
 40.00 Set the $\frac{1}{4}$ sec post from which
 W Oak. 19 in dia. bears S 41 W 23 links dist. & a
 Do. 18 " " " S 50 E. 15 " "
 58.25 A Gum 18 in dia.
 80.00 Set a post for the cor of sec. 12 & 13. from which a
 W Oak. 20 in dia. bears S 6 E. 39 links dist. & a
 Do. 10 " " " S 30 W 29 " "
 Lands the same.

North On the East Boundary of Sec. 12. T. 6. N. R. 4. W.
 28.73 A Brook 20 links mid. course W
 40.00 Set a $\frac{1}{4}$ sec post from which,
 Sugar 8 in dia. bears S 20 E. 32 links dist. & a
 Poplar 6 " " " N 9 E. 7 " "
 80.00 Set a post for the cor of sec 18 & 19 from which,
 Buck 8 in dia. bears S 28 E. 4 links dist. & a

T. N^o 6. N. R. N^o 4. N. D. M. Ind.

Buck 8 in dia. bears N 3 E. 28 links dist.
 Lands the same but not stony.

North On the East Boundary of Sec. 1 T. 6. N. R. 4. W.
 23.60 A W Oak 30 in dia. "
 40.00 Set a $\frac{1}{4}$ sec post from which,
 W Oak 7 in dia. bears S 10 E. 28 links dist. & a
 Do. 12 " " " S 66 W 5 " "
 47.60 To a B. Oak 10 in dia.
 80.00 Set a post at the distance of six miles from the
 South 13.7 Surveyed by A. Kenrie L. S.
 April 13th 1811

From Kenrie 6 mile post on the Range line between
 Range 374. T. 6. N. Continued. & R. 6. 40 E.
 Continued by Alexander Holmes, D. S.
 95.75 Fell 150 links East of my temporary post. from which,
 Sugar 15 in dia. bears S 28 E. 25 links dist. & a
 Ash. 10 " " " N 83 W 43 " "

North Boundary

A 37.

West On the South Boundary of Sec. 36 T. 7. N. R. 4. W.
 26.00 A Brook 3 links mid. course S
 40.00 Set a $\frac{1}{4}$ sec post from which,
 Hick. 12 in dia. bears S 10 W 15 links dist. & a
 Buck. 18 " " " N 57 W 39 " "
 60.00 A Brook 3 links mid. course W.
 71.00 " Do. 3 " " " W.
 80.00 Set a post for the cor of sec. 35 & 36. from which
 Sugar 9 in dia. bears S 6 E. 16 links dist. & a
 Do. 10 " " " N 45 W 37 " "
 Land & timber same as on the last mile

West On the South Boundary of Sec 35. T. 7. N. R. 4. W.

T. No 6. A. R. No 4. W. 2nd Mer. Ind^y

- 30.00 To a Buck 3. links wide; Course S.
40.00 Set a post for the cor. of S. & E. from which a
Buck 15. in diam. bears S. 12. W. 17. links dist. to
N. Oak 15. " " " A. 11. W. 21. " "
43.00 To a Buck 75. links wide; Course S. W.
59.00 To a Do. — " " " S. W.
77.00 To a Do. " " " " S. W.
80.00 Set a post for the cor. of S. 34. & 35. from which a
Hogwood 6. in diam. bears S. 73. E. 3. links dist. to
Sugar. 6. " " " A. 70. W. 10. " "
Sand hilly & stoney; Timber. Oak.

- | | |
|-------|--|
| 10.00 | West On the South Boundary of Sec. 34. T. 7. N. R. 4. W. |
| 25.00 | To a Spring. Course S. |
| 30.00 | " " " " S. |
| 40.00 | " " " " S. |
| 80.00 | Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
Buck 30. in diam. bears S. 75. W. 14 links dist. & a
Hickory 4. " " " " N. 89. E. 28. " "
Set a post for the cor. of Secs. 33. & 34. from which a
Sugar 12. in diam. bears N. 85. E. 28. links dist. & a
Hickory 12. " " " " S. 33. W. 20. " "
Land spec. Hilby & Honey. Timber. Oak. |

- West On the South Boundary of Sec. 33. T. 7. N. B. 4. W.
13. 00 To a Buck 3. links wide; Course S. 40.
38. 00 " " No 5. " " " South.
40. 00 Set a spot for the cor. of $\frac{1}{4}$ Sec. from which a
Buck 9. in diam. bears S 52. E 13. links dist. 2 a
N. Oak 30. " " " S 55. W. 24. " "
Found on the first $\frac{1}{2}$ corner on the last $\frac{1}{2}$ Plat.
Timber. Sugar. Buck. Oak. Large Buck 15. in diam. bears N 79. E 13. "
80. 00 Set a spot cor. of Sec. 32. & 33 from which a Buck 6. in diam. bears South 2 links dist.

T. N^o 6. St. R. N^o 4. W. 2nd Mer. Ind^o.

- West On the South Boundary of Sec. 32. T. 7. N. R. 4. W.
 20.00 To a Buck 10. links wide; Course S.
 25.00 " " No. 5. " " " S.
 40.00 To a spot for the cor. of 1/4 Sec. from which a
 Buck 10. in diam. bears N 39. W. 7. links dist. and a
 Sugar 14 " " " N 83. E. 42. " "
 80.00 To a spot for the cor. of Sec. 31. & 32. from which a
 Buck 9. in diam. bears N 48. E. 18. links dist. & a
 No. 16. " " " S. 65. W. 24. " "
 Good meadow. Lined. Timber. Buck. Ash Sugar. &c.

- | | |
|-------|--|
| 15.00 | Set a mark 100 links wide: Course St. |
| 40.00 | Set a post for the cor. of $\frac{1}{4}$ Sec. from which a
Sugar 14. in diam. bears at 59. N. 7. links dist. La
B. Oak 30. " " " S. 74. E. 39. " " |
| 80.00 | Set a temp. post for the cor. of T. 6. & 7. N. R. 45 W. |

West Boundary.

- North On the East Boundary of Sec. 36. T6MR.577
4000 Set a 74 report from which
Walnut 16 in dia: bears S 11 W 27 lks dist; 8 a
Poplar 36 " " " N 14 E 28 " "
72.00 A Brook 15 lks wide, Corner S.W.
80.00 Set a post for the cor of Sec. 35 & 36. From which
Oak 30 in dia: bears S 25 E 11 lks dist; 8 a
Sugar 18 " " " N 45 W 43 " "
Cov level rich land; Timber Walnut, Sugar
Ash, &c.

- North 40.00 On the East Boundary of Sec 25 T6. N. R. 5 W.
Set a 74 sup post from which,
Dogwood 8 in dia bear S 45 W 8 lmts dist, of a

T. N^o 6 N.R. N^o 4 W. 2nd Mer. Ind.

North On the East Boundary of Sec. 25 T. 6 N.R. 4 W.
 40.00 A Gum 10 in dia. stands for the cor of 7/4 ac
 61.10 To a B Oak 20 in dia. in the line.
 80.00 Set a post for the cor of sec. 24 & 25 from which
 W Oak 20 in dia. bears N 77 W 37 links dist.
 Sands rolling Timber Oak & Hick. Soil thin & stony.

North On the East Boundary of Sec. 13 & 24 T. 6 N.R. 4 W.
 28.50 To a Brook 10 W. side, of Spring W.
 40.00 Set a post from which
 Hick. - in dia. bears N 55 W 28 links dist. & a
 Do. 9 " " S 74 W 42 " "
 80.00 Set a post for the cor of sec. 13 & 24 from which
 Gum 7 in dia. bears S 87 W 23 links dist. & a
 Sugar 7 " " S 45 E 11 " "
 Sands the same.

North On the East Boundary of Sec. 13 T. 13 T. 6 N.R. 4 W.
 40.00 Set the 1/4 sec post from which
 W Oak 19 in dia. bears S 41 W 23 links dist. & a
 Do. 18 " " S 50 E 15 " "
 58.25 A Gum 18 in dia.
 80.00 Set a post for the cor of sec. 12 & 13 from which
 W Oak 20 in dia. bears S 6 E 39 links dist. & a
 Do. 10 " " S 30 W 29 " "
 Sands the same.

North On the East Boundary of Sec. 12 T. 6 N.R. 4 W.
 28.73 A Brook 20 links wide, course W
 40.00 Set a 1/4 sec post from which
 Sugar 8 in dia. bears S 20 E 32 links dist. & a
 Poplar 6 " " N 9 E 7 " "
 80.00 Set a post for the cor of sec. 18 & 19 from which
 Buck 8 in dia. bears S 28 E 4 links dist. & a

T. N^o 6 N.R. N^o 4 W. 2nd Mer. Ind.

Buck 8 in dia. bears N 3 E 28 links dist.
 Sands the same but not stony.

North On the East Boundary of Sec. 1 T. 6 N.R. 4 W.
 23.60 A W Oak 30 in dia. "
 40.00 Set a 1/4 sec post from which
 W Oak 7 in dia. bears S 10 E 28 links dist. & a
 Do. 12 " " S 66 W 5 " "
 47.60 To a B Oak 10 in dia.
 80.00 Set a post at the distance of six miles from the
 South 13.7 Surveyed by A. Kenne D. S.
 April 13th 1811.

From Kenne's 6 mile post on the Range line between
 Range 3rd & 4th T. 6 N. continued. S. V. 6th 40th E.
 Continued by Alexander Holmes, D. S.
 95.75 Tell 150 links East of my temporary post. from which
 Sugar 15 in dia. bears S 28 E 25 links dist. & a
 Ash 10 " " N 83 W 43 " "

North Boundary 237.
 West On the South Boundary of Sec. 36 T. 7 N.R. 4 W.
 26.00 A Brook 3 links wide, course S
 40.00 Set a 1/4 sec post from which
 Hick. 12 in dia. bears S 10 W 15 links dist. & a
 Buck 18 " " N 57 W 39 " "
 60.00 A Brook 3 links wide, course W.
 71.00 " Do. 3 " " " "
 80.00 Set a post for the cor of sec. 35 & 36 from which
 Sugar 9 in dia. bears S 6 E 16 links dist. & a
 Do. 10 " " S 45 W 37 " "
 Land & Timber same as on the last mile

West On the South Boundary of Sec. 35 T. 7 N.R. 4 W.

T. N. 6. A. B. N. 4. W. 2nd Mer. Ind.

- 30.00 To a Bush 3. links wide; Course N.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 15. in diam. bears S 12. W. 17. links dist. & a
 N. Oak 15. " " " N. 11. W. 21. " "
 43.00 To a Bush 75. links wide; Course S. W.
 59.00 To a Sp. " " " " S. W.
 77.00 To a Sp. " " " " S. W.
 80.00 Set a post for the cor. of Sec. 34 & 35. from which a
 Logwood 5. in diam. bears S. 73. E. 3. links dist. & a
 Sugar 6. " " " S. 70. W. 10. " "
 Land hilly & stoney; Timber Oak.

- West On the South Boundary of Sec. 34. T. 7. N. 6. 4. W.
 10.00 To a Spring; Course S.
 25.00 " " " " S.
 30.00 " " " " S.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 30. in diam. bears S. 75. W. 14 links dist. & a
 Hickory 9. " " " S. 89. E. 28. " "
 80.00 Set a post for the cor. of Sec. 33. & 34. from which a
 Sugar 12. in diam. bears S. 85. E. 28. links dist. & a
 Hickory 12. " " " S. 33. W. 20. " "
 Land open. hilly & stoney; Timber Oak.

- West On the South Boundary of Sec. 33. T. 7. N. 6. 4. W.
 13.00 To a Bush 3. links wide; Course S. W.
 38.00 " " " " " South.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 9. in diam. bears S. 52. E. 13. links dist. & a
 N. Oak 30. " " " S. 55. W. 24. " "
 Land on the first 1/2 unsw. on the last 1/2 flat.
 Timber. Sugar. Buck. Oak. S. 79. E. 13. "
 80.00 Set a post cor. of Sec. 32 & 33 from which a Buck 6. in diam. bears S. 72. E. 13. "

T. N. 6. A. B. N. 4. W. 2nd Mer. Ind.

- West On the South Boundary of Sec. 32. T. 7. N. 6. 4. W.
 20.00 To a Bush 10. links wide; Course S.
 25.00 " " " " " S.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Buck 10. in diam. bears S. 39. W. 7. links dist. and a
 Sugar 14. " " " S. 83. E. 42. " "
 80.00 Set a post for the cor. of Sec. 31. & 32. from which a
 Buck 9. in diam. bears S. 48. E. 18. links dist. & a
 N. 16. " " " S. 65. W. 29. " "
 Good meadow. Land. Timber. Buck. Ash. Sugar. &.

- West On the South Boundary of Sec. 31. T. 7. N. 6. 4. W.
 15.00 To a Bush 100. links wide; Course S.
 40.00 Set a post for the cor. of 1/4 Sec. from which a
 Sugar 14. in diam. bears S. 59. W. 7. links dist. & a
 B. Oak 30. " " " S. 74. E. 39. " "
 80.00 Set a temp. post for the cor. of T. 6. & 7. N. 6. 4. W.

West Boundary.

- North On the East Boundary of Sec. 36. T. 6. N. 5. W.
 40.00 Set a 1/4 sec post from which a
 Walnut 16 in dia. bears S. 11. W. 27 links dist. & a
 Poplar 36 " " " N. 14. E. 28. " "
 72.00 A Brook 15 lks wide; Course S. W.
 80.00 Set a post for the cor. of Sec. 35 & 36. from which a
 Gum 30 in dia. bears S. 25. E. 11 links dist. & a
 Sugar 18 " " " N. 45. W. 43. " "
 Cow herd rich land; Timber Walnut, Sugar,
 Ash, &c.

- North On the East Boundary of Sec. 25. T. 6. N. 5. W.
 40.00 Set a 1/4 sec post from which a
 Logwood 5 in dia. bears S. 45. W. 8 links dist. & a

T. N. 6. N. R. N. 4 W 2nd Mer. Ind.

80.00 Dogwood 6 in dia. bears N 23 E 23 links dist.
 Set a post for the cor of Sec. 24 & 25 from which,
 Poplar 4 in dia. bears S 4 E 16 links dist. & a
 Dogwood 4 " " " N 7 E 18 " "
 Good Oak land.

North On the East Boundary of Sec. 24. T. 6. N. R. 5 W.

40.00 Set a 7/4 sec post from which,
 Sugar 10 in dia. bears S 1 E 16 links dist. & a
 W Oak 30 " " " N 7 W 24 " "

43.00 A Brook 15 links mid, Co. W.

73.00 " Do. 3 " " " S. W.

80.00 Set a post for the cor of Sec. 13 & 24 from which,
 W Oak 16 in dia. bears S 68 W 12 links dist. & a
 Do. 6 " " " S 77 E 11 " "
 Good Oak land.

North On the East Boundary of Sec. 13. T. 6. N. R. 4 W.

40.00 A Hick 12 in dia. stands for the cor of 7/4 sec.

59.00 A B Oak 24 in dia.

70.00 A Brook 3 links mid, corner N. W.

80.00 Set a post for the cor of Sec. 12 & 13 from which
 Dogwood 9 in dia. bears S. 22 W 21 links dist. & a
 W Oak 16 " " " S 4 E 12 " "
 Good Oak land.

North On the East Boundary of Sec. 12. T. 6. N. R. 5 W.

8.00 A Brook 5 links mid corner W.

15.00 A Do. 3 " " " S. W.

40.00 Set a post for the cor of 7/4 sec from which
 W Oak 15 in dia. bears N 82 E 11 links dist. & a
 Do. 16 " " " S 22 W 31 " "

50.00 A Brook 3 links mid Co. W.

T. N. 6. N. R. N. 4 W 2nd Mer. Ind.

80.00 Set a post for the cor of Sec. 18 & 19 from which,
 W Oak 18 in dia. bears S 10 W 12 links dist. & a
 Do. 12 " " " N 60 E 21 " "
 Good level Oak land.

North On the East Boundary of Sec. 1. T. 6. N. R.

40.00 Set a 7/4 sec post from which,
 Hick 16 in dia. bears S 31 E 5 links dist. & a
 Poplar 50 " " " N 10 W 22 " "

74.00 A Brook 15 links mid, corner W.

95.00 Intersect the Town line 900 links East of the
 temp. post cor of T. 6 & 7 N. R. 4 & 5 W from
 which Maple 10 in dia. bears N 72 E 12 links dist.
 and on Ash 10 " " " S 55 W 16 " "
 Good level land.

April 6. 1811

Surveyed by
 Alex. Holmes. D.S.

Subdivisions

North Between Sec. 35 & 36. T. 6. N. R. 4 W.

40.00 Set a 7/4 sec post from which
 W Oak 10 in dia. bears N 21 E 22 links dist. & a
 Do. 10 " " " N 50 W 13 " "

59.00 A Brook 12 links mid, corner W.

80.00 Set a post for the cor of Sec. 25, 26, 35 & 36 from which,
 W Oak 10 in dia. bears S 75 W 16 links dist. & a
 Do. 10 " " " North 14 " "

Good rolling Timber Oak, & Hick N. Y. Dogw.
 & Sassafras &c.

East On a Random line between Sec. 25 & 36. T. 6. N. R. 4 W.

40.00 Set a temp. 7/4 sec post

79.70 Intersect the N. W. line or East Boundary at the post

T. N. 6. N. R. N. 4. W. 2nd Mer. Ind.

cor of sec 25 & 36. Land the same

West On the line between Sec. 25 & 36. T. 6. N. R. 4. W.
39.85 Set the temp 7/4 sec post at the ar. dist on the line
from which, West 12 in dia. bears S 32 E 10th dist
and a N Oak 10 " " " N 65 W 22 " "
79.70 To the cor of sec. 25, 26, 35 & 36.

North Between Sec. 25 & 26. T. 6. N. R. 4. W.
40.00 Set a 7/4 sec post from which
N Oak 10 in dia. bears N 5 E. 58 units dist, 8 a
Lo. 10 " " " S 88 E 19 " "
80.00 Set a post for the cor of sec. 23, 24, 25 & 26. from which
a Sum 10 in dia. bears N 9 E. 21 units dist, 8 a
N Oak 12 " " " S 4 W 10 " "
Land the same

East On a Random line between Sec. 24 & 25.
38.00 A Brook 10th wide, corner N.
40.00 Set a temp 7/4 sec post.
79.90 Intersect the N 5 E line or East Bdy at the cor of
Sec. 24 & 25. Land the same

West On the line between Sec. 24 & 25.
39.95 Set the temp 7/4 sec post at the ar. dist on the line
from which a N Oak 10 in dia. bears N 35 W 11th dist
and a Lo. 12 " " " S 35 E 2 " "
79.90 To the cor of sec. 23, 24, 25 & 26.

North Between Sec. 23 & 24. T.
32.64 A Brook 18 units wide, corner W.
33.00 A Brook 24 in dia.
40.00 Set a 7/4 sec post from which

T. N. 6. N. R. N. 4. W. 2nd Mer. Ind.

Sum 10 in dia. bears N 7 E. 43 units dist, 8 a
N Oak 12 " " " S 7 W 10 " "

80.00 Set a post for the cor of sec. 13, 14, 23 & 24 from which
a Sugar 12 in dia. bears N 6 E 9 units dist, 8 a
Sum 10 " " " S 7 W 8 " "
Land the same

East On a Random line between Sec. 13 & 24. T. 6. N. R. 4. W.
40.00 Set a temp 7/4 sec post
77.00 To a water corner N.
80.00 Intersect the N 5 E line or East Boundary at the cor
of sec. 13 & 24. Land the same.

West On the line between Sec. 13 & 24. T. 6. N. R. 4. W.
40.00 Set the temp 7/4 sec post at the ar. dist on the line
from which, a Logwood 7 in dia. bears S 89 E. 31th dist
and a Lo. 7 " " " S 25 W 12 " "
80.00 To the cor of sec. 13, 14, 23 & 24

North Between Sec. 13 & 14. T. 6. N. R. 4. W.
40.00 Set a 7/4 sec post from which
Sum 12 in dia. bears N 5 W. 72 units dist, 8 a
N Oak 12 " " " S 76 E 44 " "
73.00 A Brook 12 in dia. in the line.
80.00 Set a post for the cor of sec. 11, 12, 13, & 14 from which
Sum 10 in dia. bears S 67 E. 21 units dist, 8 a
N Oak 20 " " " S 37 W 27 " "
Land the same.

East On a Random line between Sec. 12 & 13. T. 6. N. R. 4. W.
40.00 Set a temp 7/4 sec post
63.50 To a Brook 12 units wide, cor. N.
80.00 Intersect the East Boundary at the cor of sec. 12 & 13.

Land the same

West On the line between Sec. 12 & 13.

40.00 Set the temp. 7/4 Su post at the ar. dist. on the line

from which, W Oak 12 in dia. bears N 88 W 71 the dist.

80.00 To the cor of Sec. 11 12. 13 & 14

North Between Sec. 11 & 12. T. C. N. R. 4 W

40.00 Set a 7/4 Su post from which,

Reed 10 in dia. bears N 25 E. 29 links dist. & a
Iron rod 6, , , S 87 W 5, , ,

46.00 To a Brook 15 links mid. Co. N. W.

71.00 At Oak 24 in dia. in the line.

80.00 Set a post for the cor. of Sec. 1, 2, 11 & 12 from which,

W Oak 20 in dia. bears N 75 E. 28 links dist. & a

Do. 24, , , N. 17 W 13, , ,

Land the same.

East On a Random line between Sec. 18 & 19 T. C. N. R. 4 W

25.50 To a Brook 10 links mid. Co. S. W.

40.00 Set a temp. 7/4 Su post.

80.00 Intersect the East Boundary 8 links North of the
post cor of Sec. 18 W Land the same.

West On the line between Sec. 18 & 19 T. C. N. R. 4 W

40.00 Set the temp. 7/4 Su post at the ar. dist. on the line

from which, Reed 12 in dia. bears N 10 E. 4 the dist.

and a Do. 8, , , S 37 E 23, , ,

80.00 To the cor of Sec. 1, 2, 11 & 12.

North Between Sec. 18 & 19 T. C. N. R. 4 W

40.00 Set a 7/4 Su post from which,

Sugar 6 in dia. bears S 17 E. 10 links dist. & a

Sugar 8 in dia. bears N 79 E. 13 links dist.

96.50 Set a post 150 links from the cor of Sec. 25 & 26.

T. C. N. R. 4 W from which,

Dogwood 4 in dia. bears N 54 E. 3 the dist.

& a Do. 4, , , N 80 W 42, , ,

Land the same.

North Between Sec. 34 & 35 T. C. N. R. 4 W

30.00 At Oak 18 in dia.

40.00 Set a 7/4 Su post from which,

W Oak 18 in dia. bears S 29 E. 28 the dist. & a

Reed 10, , , S 107 W 33, , ,

80.00 Set a post for the cor of Sec. 26, 27, 34 & 35 from which

a W Oak 12 in dia. bears N 71 E. 23 the dist. & a

Do. 18, , , S 4 E. 15, , ,

Land rolling timber Oak, & Hickory

East On a Random line between Sec. 26 & 35 T. C. N. R. 4 W

40.00 Set a temp. 7/4 Su post

80.00 Intersect the N 73 line 12 links South of the post.

Cor of Sec. 25, 26, 35 & 36 Land the same.

West On the line between Sec. 26 & 35 T. C. N. R. 4 W

40.00 Set the temp. 7/4 Su post at the ar. dist. on the line

from which, W Oak 20 in dia. bears S 45 E. 30 the dist.

and a W Oak. 9, , , S 89 E. 47, , ,

80.00 To the cor of Sec. 26, 27, 34 & 35.

North Between Sec. 26 & 27 T. C. N. R. 4 W

40.00 Set the 7/4 Su post from which,

W Oak 12 in dia. bears S 4 W 21 links dist. & a

Do. 12, , , N 87 W 25, , ,

80.00 Set a post for the cor of Sec. 26, 27, 34 & 35 from

T. N. 6. N. R. N. 4 W. Dnd. Mm. Ind.

whiche, W Oak 10 in dist. bears N 58 W 26 lbs dist. & a
 Dogwood 5 " " " N 81 E 3 " "
 Sand the same.

East On a Random line between Sec. 23 & 26.

40.00 Set a temp. 7/4 sec post.

79.80 Intersect the N 13 line 45 links South of the post cor
 of Sec. 23, 24, 25 & 26. Sand the same.

West On the true line between Sec. 23 & 26.

39.90 Set the temp. 7/4 sec post at the ar. dist. on the true line
 from whence, W Oak 18 in dist. bears N 53 W 39 links
 and a Dogwood 6 " " " N 65 E 6 " "

79.80 To the cor of Sec. 22, 23, 26 & 27.

North Between Sec. 22 & 23, T. 6. N. R. 4 W.

40.00 Set a 7/4 sec post from whence a

W Oak 10 in dist. bears N 9 E 28 links dist. & a

Do. 11 " " " N 16 E 21 " "

80.00 Set a post for the cor of Sec. 14, 15, 22 & 23 from whence
 Gum 10 in dist. bears S 80 E 23 links dist. & a
 W Oak " " " N 55 E 23 " "

Sand a hilly & strong thin soil Timber Oak &
 Hickory.

East On a Random line between Sec. 14 & 23, T. 6. N. R. 4 W.

19.00 To a Brook 18 links mid, Co. W

40.00 Set a temp. 7/4 sec post

79.00 A Brook 10 links mid, Course S. W.

80.00 Intersect the N 13 line 12 links North of the post
 cor of Sec. 13, 14, 23 & 24 Sand the same.

West On the true line between Sec. 14 & 23, T. 6. N. R. 4 W.

T. N. 6. N. R. N. 4 W. Dnd. Mm. Ind.

40.00 Set a temp. 7/4 sec post at the ar. dist. on the true line from
 whence, W Oak 10 in dist. bears N 80 E. 38 links dist. & a
 Do. 15 " " " S 4 E 20 " "

80.00 To the cor of Sec. 14, 15, 22 & 23.

North Between Sec. 14 & 15, T. 6. N. R. 4 W.

28.50 To a Brook 12 links mid, Course S. W.

30.50 " " Same 12 " " " S. E.

34.50 " " Do. 12 " " " S. W.

40.00 Set a 7/4 sec post from whence,
 W Oak 12 in dist. bears N 22 E. 23 links dist. & a
 Hickory 8 " " " S 20 E. 30 " "

80.00 Set a post for the cor of Sec. 10, 11, 14 & 15 from whence,
 W Oak 20 in dist. bears S 44 W 28 links dist. & a
 Sugar 12 " " " N 33 W. 24 " "
 Sand the same.

East On a Random line between Sec. 11 & 14, T. 6. N. R. 4 W.

16.50 A Brook 10 links mid, Course W.

40.00 Set a temp. 7/4 sec post.

79.75 Intersect the N 15 19 links North of the post cor
 of Sec. 11, 12, 13 & 14 Sand the same.

West On the true line between Sec. 11 & 14, T. 6. N. R. 4 W.

39.87 1/2 Set the temp. 7/4 sec post at the ar. dist. on the true line
 from whence, W Oak 20 in dist. bears East 31 links dist.
 and a Dogwood 7 " " " N 87 E 15 " "

79.75 To the cor of Sec. 10, 11, 14 & 15.

North Between Sec. 10 & 11, T. 6. N. R. 4 W.

40.00 Set a 7/4 sec post from whence,

W Oak 20 in dist. bears South 29 links dist. & a

Buck 10 " " " S 36 W. 12 " "

T. N. 6. N. R. N. 4 W. 2nd Mer. Ind.

- 48.00 At Brook 25 links mid, Corner N.
 53.00 To same 25 " " " N.E.
 55.00 " same " " " " S.W.
 80.00 Set a post for the cor. of Sec. 2, 3, 10 & 11 from which
 Dogwood 7 in dia. bears S 85 E. 33 links dist. & a
 Do. 9 " " " N 89 W 23 " "
 Sando the same.

- East On a Random line between Sec. 2 & 11.
 40.00 Set a temporary 7/4 sec post.
 80.00 Intersect the N.W. line 8 links South of the post cor.
 of Sec. 1, 2, 11 & 12 Sando the same.

- West On the Town line between Sec. 2 & 11. I
 40.00 Set the temporary 7/4 sec post at the ar. ditch on the town line
 from which an Elm 9 in dia. bears N 84 E. 26 links dist.
 and a Maple 10 " " " N 70 W 4 " "
 80.00 To the cor. of Sec. 2, 3, 10 & 11

- North Between Sec. 2 & 3. T. 6. N. R. 4 W.
 40.00 Set a 7/4 sec post from which
 Beech 12 in dia. bears N 15 W. 32 links dist. & a
 Do. 12 " " " S 37 E. 30 " "
 95.00 At Brook 50 links mid, Corner S.W.
 97.00 Intersect the N. Boundary at the post cor. of Sec.
 34 & 35. T. 7. N. R. 4 W.

- North Between Sec. 33 & 34. I
 40.00 Set a 7/4 sec post from which
 Poplar 20 in dia. bears N 77 E. 9 links dist. & a
 Hickory 20 " " " S 25 W 17 " "
 80.00 Set a post for the cor. of Sec. 27, 28, 33 & 34 from which
 B. Oak 12 in dia. bears N 89 E. 44 links dist. & a

T. N. 6. N. R. N. 4 W. 2nd Mer. Ind.

Maple 18 in dia. bears N 52 E. 23 links dist. &
 Sando rolling; Smita Oak, & Hickory My Dog-
 wood & Hickory &.

- East On a Random line between Sec. 27 & 34
 40.00 Set a temporary 7/4 sec post.
 75.00 To a Brook 6 links mid, Corner N.W.
 79.90 Intersect the N.W. line 12 links South of the post
 cor. of Sec. 26, 27, 34 & 35. Sando the same.

- West Between Sec. 27 & 34. Town line
 39.95 Set the temporary 7/4 sec post at the ar. ditch on the town line
 from which a White Oak 8 in dia. bears S 81 E. 29 links dist.
 and a Do. 12 " " " N 79 W 30 " "
 79.90 To the cor. of Sec. 27, 28, 33 & 34

- North Between Sec. 27 & 28. I
 40.00 Set a 7/4 sec post from which
 White Oak 12 in dia. bears N 33 E. 5 links dist. & a
 B. Oak 20 " " " S 6 W 37 " "
 80.00 Set a post for the cor. of Sec. 21, 22, 27 & 28 from which
 Hickory 12 in dia. bears S 9 E. 28 links dist. & a
 Elm 10 " " " N 83 E. 60 " "
 Sando the same.

- East On a Random line between Sec. 27 & 22.
 40.00 Set a temporary 7/4 sec post. at
 52.00 To a Brook 10 links mid, Corner N.
 80.00 Intersect the N.W. line 15 links South of the post
 cor. of Sec. 22, 23, 26 & 27 Sando the same.

- West On the Town line between Sec. 22 & 27
 40.00 At B. Oak 18 in dia. stands for the cor. of 7/4 sec

T. N. C. N. R. No 47 2nd Mer. Ind.

ck. 667.
80.10 at the ar. dist on the true line.
To the cor of Sec. 21, 22, 27 & 28.

North Between Sec. 21 & 22.
40.00 Set a 7/4 sec post from which,
W Oak 12 in dia. beam N 77 W 33 links dist. 8 a
Do. 12 " " S 5 E 23 " "
80.00 Set a post for the cor of Sec. 15, 16, 21 & 22 from which,
Poplar 12 in dia. beam N 55 E 23 links dist. 8 a
Yum 12 " " N 88 W 9 " "
Lands the same.

East On a Random line between Sec. 15 & 22.
40.00 Set a temp. 7/4 sec post in a Brook 12 links wide
Corner N.
79.90 Intersect the N 13 line 10 links North of the post
cor of Sec. 14, 15, 22 & 23. Lands the same.

West On the true line between Sec. 15 & 22
39.95 Set the temp. 7/4 sec post at the ar dist on the true
line from which an Elm 18 in dia. beam N 86 E 40 links dist.
and a W Oak 10 " " S 82 W 70 " "
79.90 To the post cor of Sec. 15, 16, 21 & 22.

North Between Sec. 15 & 16, T. C. N. R. 47
40.00 Set a 7/4 sec post from which,
W Oak 12 in dia. beam N 20 E 15 links dist. 8 a
Do. 14 " " N 36 W 21 " "
80.00 Set a post for the cor of Sec. 9, 10, 15 & 16 from which,
Hick 10 in dia. beam S 23 E 13 links dist. 8 a
W Oak 20 " " N 49 W 27 " "
Lands the same.

Concl?

T. N. C. N. R. No 47 2nd Mer. Ind.

ck. 667
East On a Random line between Sec. 10 & 15.
40.00 Set a temp. 7/4 sec post.
70.00 At Brook 30 links wide, Corner N.
79.90 Intersect the N 13 line 8 links South of the post cor.
of Sec. 9, 10, 15 & 16. Lands the same.

West On the true line between Sec. 10 & 15.
39.95 Set the temp. 7/4 sec post at the ar dist on the true line
from which, W Oak 18 in dia. beam S 37 W 11 links dist.
and a W Oak 10 " " S 9 E 13 " "
79.90 To the cor of Sec. 9, 10, 15 & 16.

North Between Sec. 9 & 10, T.
40.00 Set a 7/4 sec post from which,
W Oak 9 in dia. beam S 33 E 8 links dist. 8 a
Do. 10 " " N 76 W 35 " "
57.60 At W Oak 12 in dia.
80.00 Set a post for the cor of Sec. 3, 4, 9 & 10 from which,
W Oak 8 in dia. beam S 87 E 16 links dist. 8 a
W Oak - " " S 11 E 18 " "
Lands the same.

East On a Random line between Sec. 3 & 10.
13.00 At Brook 60 links wide, Corner N.
40.00 Set the temp. 7/4 sec post.
55.00 To a spring, Corner N.
80.00 Intersect the N 13 line 10 links North of the post cor.
of Sec. 2, 3, 10 & 11. Lands the same.

West On the true line between Sec. 3 & 10, T.
40.00 Set the temp. 7/4 sec post at the ar dist on the true line
from which, Sugar 10 in dia. beam S 87 E 8 links dist.
and a W Oak 20 " " N 73 W 26 " "

80.00 To the cor. of Sec. 34 9 & 10.

North Between Sec. 34 & 35.

15.00 To a Brook 50 links wide, corner N.W.

40.00 Set a 74 Sw post from which
Beet 12 in dia. line. N 15 W. 7 links dist; & a
Poplar 12 " " " S 37 W. 8 " "97.50 Intersect the N 15 W. 7 166 links East of the post
cor. of Sec. 33 & 34 T. N. R. 4 W. and set a post
" " " 34 from which
Sum 12 in dia. line. N 72 E. 12 links dist; & a
Beet. 12 " " " N 57 W. 13 " "
Land the same.

North Between Sec. 32 & 33

29.50 N.B. Oak 20 in dia.

40.00 Set a 74 S. post from which,
W Oak 12 in dia. line. S 35 W. 26 links dist; & a
Do. 18 " " " East 2 " "

71.00 A Brook 15 links wide, corner W.

80.00 Set a post for the cor. of Sec. 28, 29, 32 & 33 from which
W Oak 12 in dia. line. S 78 E. 10 links dist; & a
Do. 9 " " " N 30 E. 21 " "
Land the same.

East On a Random line between Sec. 28 & 33 T

40.00 Set a temp. 74 Sw post.

50.50 To a Brook 12 links wide, corner N.W.

77.50 " Same " " " " N.W.

80.00 Intersect the N 15 W. line 12 links North of the post cor.
of Sec. 27, 28, 33 & 34 Land the same.

West On the line between Sec. 28 & 33

40.00 Set the temp. 74 Sw post at the cor. dist on the line
from which a W Oak - in dia. line. N 58 W. 11 links dist;
and a W Oak - " " " S 61 W. 5 " "
80.00 To the cor. of Sec. 28, 29, 32 & 33.

North Between Sec. 28 & 29 T.

12.50 To a W Oak 18 in dia.

15.50 " Brook 10 links wide, corner W.

40.00 Set a 74 Sw post from which,
W Oak - in dia. line. S 4 E. 23 links dist; & a
Dogwood 6 " " " N 27 W. 14 " "80.00 Set a post for the cor. of Sec. 20, 21, 28 & 29 from which,
Poplar 6 in dia. line. S 6 W. 6 links dist; & a
Hickory 9 " " " S 55 E. 8 " "
Land the same.

East On a Random line between Sec. 21 & 28

40.00 Set a temp. 74 Sw post.

79.85 Intersect the N 15 W. line at the post cor. of Sec. 21, 22, 27
& 28. Land the same.

West On the line between Sec. 21 & 28.

39.92 Set the temp. 74 Sw post at the cor. dist on the line
from which a Dogwood 5 in dia. line. S 74 W. 18 links
dist; & a Do. 9 in dia. line. N 57 E. 9 links dist

79.85 To the cor. of Sec. 20, 21, 28 & 29.

North Between Sec. 20 & 21 T. N. R. 4 W.

23.00 To a B. Oak 20 in dia. in the line.

40.00 Set a 74 Sw post from which,
W Oak 10 in dia. line. S 31 E. 27 links dist; & a
Dogwood 6 " " " N 61 E. 13 " "

80.00 Set a post for the cor. of Sec. 16, 17, 20 & 21 from which,

L. N. 6. N. R. N. 472nd Ma. Ind.

Dogwood in dist. from. S 7 E. 22 miles dist. to
 73 Oak. 18 " " " N 8 E. 7 " "
 Sounds the same.

East On Random line between Sec. 16 & 21 T. 6. N. R. 4. W.
4000 Got the temp. of 4 Sec. post.
8000 Intersect the NW 1/4 line 9 miles North of the first cor
of Sec. 15. 16. 21 & 22. Found the same.

West On the Iron line between Sec. 16 & 21. I
4,000 Set the temp. 74 Sec post at the ar dist on the Iron line
from which, 73 Oak 20 in diam here. N 88 E. 43 the dist
and a W Oak 19 , , , N 35 W. 24 , ,
80,000 To the cor of Sec. 16 17. 20 & 21.

North Between Dec^r 16 1774 To N. R. 4 M.
40.00 Set a $\frac{1}{4}$ Lu post from which
Hick 310 in dia^r beam S 27 E. 15 links dist. 8
Oak 10 , , , N 57 W. 8 , ,
57.50 To a Brook 10 links wide, Corner C.
74.50 To a Spring Corner C.
80.00 Set a post for the cor of the 8. 9. 10 & 17 from which
Poplar 6 in dia^r beam N 51 E. 36 links dist. 8
Do. 10 , , , S 70 W 50 , ,
See do the same.

East On a Random line between Sec 9. & 16.
8.00 At Brooks 18 miles mid, for N
23.00 At Spring House S.W.
40.00 Set a trap for 7 deer. post
80.00 Intersect the N.W. line 7 miles North of the post
cor of Sec. 9 & 16. Land the same.

J. N. 6. N. R. N. 477 2nd May Ind 373

West Return Dec 9 & 16. I. C. & N. R. 4 M.
40,00 Got the temp. 14 Dec. post at the av. dist on the time line
from which a temp. 8 in dist. was. 142 M. 900 dist.
and a Dogwood 6 in , , 145 E. 20 , ,
80,00 To the av of Dec. 8. 9. 16 & 17.

North 4 Bethorn Sec. 8 & 9. T. 6. N. 4 R. 4 W.
 36.30 A B. Oak 24 in dia: in the tree.
 40.00 Set a 1/4 Sec post from which
 Poplar 10 in dia: trans. S 57 N. 28 miles dist. & a
 Hickory 12 " " " N 64 E. 13 " " "
 80.00 Set a post for the cor of Sec. 4, 5, 8 & 9 from which
 Hickory 9 in dia: trans. N 57 W. 13 miles dist. & a
 Do. 10 " " " S 7 E 6 " " "
 Sand the same

East	On a Ran some line between Sec. 4 & 9 T.
22,00	A Brook 18 mks wide, comes N.
40,00	Set a trap(?) 74 Sec. past.
80,00	Intersect the A & S line 5 links north of the past cor of Sec. 3. 4. 9 & 10. Same as the same.

West On the Iron line between Sec. 4 & 9. I
4000 Set the temp. 74.50 just at the cor. dish on the line
from which, Sugar. Fin. dist. heard. S. 4 E. 38.46 dish
and co N. 4 E. 64, , , N 66 W. 28, ,
8000 Set the cor. of Sec. 4. S. 81.7.

North Bettsman Sal 413 T.C. N.R. 4 M.
40.00 Set a few low post firm in hills
Weak 10 in air? trace N 29 W. 16 limits dist; 8 a
Do 15 a " " S 51 E. 8 " "
53.00 At Brook 50 limits mids, corner N.

T. N. 6. R. 4 N. 2nd Mer. And

98.00 Intersect the N Boundary 25 1/2 miles East of the post
cor of Sec. 32 & 33. T. 6. N. 4 N. and set a post for
the cor., 4 1/2 from which,
Maple 10 in dia. bear. S 6 E. 17 1/2 miles dist. & a
Red Bud 10 , , , N 26 E. 9 , ,
Sands the same.

North Return Sec. 31 & 32 T. 6. N. 4 N.

40.00 Set a 1/4 Sec post from which,

W. Oak 18 in dia. bear. N 64 W. 14 miles dist. & a

Hickory 10 , , , N 48 W. 13 , ,

54.50 A Brook 20 miles wide, corner N.

80.00 Set a post for the cor of Sec. 29, 30, 31 & 32 from which

a W. Walnut 8 in dia. bear. S 54 E. 14 miles dist. & a

Hogwood 6 , , , N 68 W. 11 , ,

Sands rolling Timber Oak & Hickory Bushy

East On a Random line between Sec. 29 & 32

40.00 Set a temporary 1/4 Sec post.

68.00 To a Brook 12 miles wide, corner S. W.

80.00 Intersect the N & S line 7 1/2 miles North of the post
cor of Sec. 28, 29 & 30 & 31. Sands the same.

West On the True line between Sec. 29 & 32.

40.00 Set a temporary 1/4 Sec post for the true line at the ar. dist.
from which, Poplar 18 in dia. bear. North 5 1/2 miles

and a W. Oak 10 , , , S 49 W. 18 , ,

80.00 To the cor of Sec. 29, 30 & 31 & 32

West Return Sec. 30 & 31 T. 6. N. 4 N.

40.00 Set the 1/4 Sec post from which a

Red Bud 6 in dia. bear. N 41 E. 30 1/2 miles dist. & a

Do. 6 , , , S 18 E. 13 , ,

T. N. 6. R. 4 N. 2nd Mer. And

74.80 Intersect the West Boundary 7 1/2 miles North of the
post cor of Sec. 25 & 26. T. 6. N. 5 N. & set a post
for the cor., 30 1/2 from which,
Ironwood 6 in dia. bear. N 61 E. 2 miles dist. & a
Sugar 18 , , , S 51 W. 41 , ,
Sands rolling Timber Oak & Hickory.

North Return Sec. 29 & 30 T. 6. N. 4 N.

40.00 Set a 1/4 Sec post from which,

Poplar 10 in dia. bear. S 14 W. 36 miles dist. & a

Hogwood 7 , , , N 22 W. 29 , ,

80.00 Set a post for the cor of Sec. 19, 20, 29 & 30 from which,

Red 18 in dia. bear. S 57 W. 41 1/2 miles dist. & a

Hogwood 7 , , , S 19 W. 19 , ,

Sands the same.

East On a Random line between Sec. 20 & 29

40.00 Set a temporary 1/4 Sec post.

80.00 Intersect the N & S line 12 miles North of the post cor
of Sec. 20, 21, 28 & 29. Sands the same.

West On the True line between Sec. 20 & 29 T. 6. N. 4 N.

40.00 Set a 1/4 Sec temporary post at the ar. dist. on the true line

from which, W. Oak 8 in dia. bear. N 77 W. 28 1/2 miles

and a Hogwood 5 , , , N 21 E. 19 , ,

80.00 To the cor of Sec. 19, 20, 29 & 30

North Return Sec. 19 & 20.

40.00 Set a 1/4 Sec post from which,

Hickory 10 in dia. bear. S 22 E. 18 miles dist. & a

Hogwood 6 , , , S 10 W. 19 , ,

54.75 To a Brook 10 miles wide, corner S. W.

80.00 Set a post for the cor of Sec. 17 & 18, 19 & 20 from which,

T. N. C. N. R. No 4 W 2nd Mer. Ind.

Dogwood 7 in dia^r bears N 88 E 43 links dist, &
 R. Oak 20 " " S 44 E 19 " "
 Land the same.

West Between Sec 19 & 30 T. 6 N. R. 4 W.

40.00 Set a 7/4 sec post from which

Dogwood 6 in dia^r bears S 61 E 18 links dist, &
 W Oak - " " N 82 W 22 " "

75.10 Intersect the West Boundary 48 links North
 of the post cor of Sec 24 & 25 T. 6 N. R. 5 W. 8 set
 a post for the cor of Sec 19 & 30 from which
 Poplar 10 in dia^r bears S 23 E 29 links dist, &
 Elm 6 " " N 25 W 10 " "

Land rolling Timber Oak, & Hickory.

This line should have been entered before the proceed-
 ing on at the Star.

East On a Random line between Sec 17 & 20.

30.00 To a Brook 28 links wide, corner S. W.

40.00 Set a temp 7/4 sec post

80.00 Intersect the N 23 line 18 links South of the post
 cor of Sec 16, 17, 20 & 21. Land the same

West On the True line between Sec 17 & 20.

40.00 Set the temp 7/4 sec post at the ar. dist on the true line
 from which Dogwood 6 in dia^r bears S 51 E 34 links dist

and a R. Oak 12 " " N 29 W 14 " "

80.00 To the cor of Sec 17, 18, 19 & 20

West Between Sec 18 & 19

30.50 To a Brook 10 links wide, corner S

40.00 Set a 7/4 sec post from which

R. Oak 10 in dia^r bears S 65 E 24 links dist, &

T. N. C. N. R. No 4 W 2nd Mer. Ind.

Dogwood 7 in dia^r bears N 72 W 45 links dist.
 74.50 Intersect the West Boundary 13 links South of the
 post cor of Sec 13 & 24 T. 6 N. R. 5 W. and set a
 " " 18 & 19 from which

R. Oak 12 in dia^r bears N 34 E 4 links dist, &
 W Oak 12 " " S 58 W 20 " "
 Land the same.

North Between Sec 17 & 18 T. 6 N. R. 4 W.

40.00 Set a 7/4 sec post from which

R. Oak 8 in dia^r bears N 10 W 37 links dist, &

Dogwood 6 " " N 10 E 27 " "

80.00 Set a post for the cor of Sec 7, 8, 17, & 18 from which

W Oak 12 in dia^r bears N 39 W 18 links dist, &

R. Oak 12 " " S 30 W 17 " "

Land rolling N. Hickory Dogwood, & Sassafras

East On a Random line between Sec 8 & 17.

40.00 Set a temp 7/4 sec post

79.90 Intersect the N 25 line 16 links South of the post cor
 of Sec 8, 9, 16 & 17. Land the same

West On the True line between Sec 8 & 17.

39.95 Set the temp 7/4 sec post at the ar. dist on the true line
 from which R. Walnut 8 in dia^r bears S 83 W 27 links dist
 and a R. Oak 10 " " N 37 E 14 " "

79.90 To the cor of Sec 7, 8, 17 & 18.

West Between 1/4 18 T. 6 N. R. 4 W.

40.00 Set a 7/4 sec post from which

Elm 10 in dia^r bears N 35 W 48 links dist, &

Dogwood 8 " " N 25 E 14 " "

75.00 Intersect the West Boundary at the post cor of Sec

T. N. C. N. R. N. 4th W. 2nd Mer. Ind.12423 T. C. N. R. 4th W. Land the sameNorth Between Secs 7 & 8 T. C. N. R. 4th W.

4000 Set a 1/4 Sec post from whike,

W. Oak 7 in dia. bears South. 18 links dist.

8000 Set a post for the cor of Secs 5, 6, 7 & 8 from whike,

Sugar 8 in dia. bears N 88 E. 34 links dist. 8 a

Do. 8 " " " N 10 E. 11 " "

Land the same.

East On a Keweenaw line between Secs 5 & 8 T. C. N. R. 4th W.

4000 Set a temp. 1/4 Sec post.

8000 Intersect the N 1/2 line 35 links South of the post cor
of Sec. 4, 5, 8 & 9. Land the same.West On the Iowa line between Secs 5 & 8 T. C. N. R. 4th W.4000 Set the temp. 1/4 Sec post at the av. dist. on the Iowa line
from whike, W. Oak 12 in dia. bears S 76 E. 17 links dist.

and a Do. 12 " " " N 13 W 2 " "

8000 Set the cor of Secs 5, 6, 7 & 8.

West Between Secs 6 & 7 T. C. N. R. 4th W.

1800 A Brook 10 links wide, corner N

4000 Set a 1/4 Sec post from whike,

W. Ash 9 in dia. bears N 53 E. 27 links dist. 8 a

W. Oak 10 " " " N 44 W 18 " "

7566 Intersect the West Boundary 114 links South of the
cor of Sec. 1 & 2 T. C. N. R. 5th W. and set a post for the
cor " " 617 from whike,

W. Oak 18 in dia. bears S 41 E. 14 links dist. 8 a

Do. 12 " " " N 18 E. 25 " "

Land rolling timber Oak & Hickory

T. N. C. N. R. N. 4th W. 2nd Mer. Ind.North Between Secs 5 & 6 T. C. N. R. 4th W.

4000 Set a 1/4 Sec post from whike,

Poplar 12 in dia. bears N 84 E. 5 links dist. 8 a

Sugar 10 " " " S 18 W 7 " "

8800 A Brook 50 links wide, corner N.

9900 Intersect the N. Boundary 346 links East of the post
cor of Sec 31 & 32 T. C. N. R. 4th W. and set a post.

" " " 546 from whike,

Beech 10 in dia. bears N 29 E. 11 links dist. 8 a

Gum 12 " " " S 39 E. 10 " "

Land the same.

Surveyed by
Arthur Hennig L.S.

I certify that the foregoing Transcript of the field notes
of Township N. C. North of Range N. 4 West of the
2nd Meridian, in Indiana, has been compared with
the original notes in the Office & found to be correct.
Surveyor General's Office,
Cincinnati, Dec. 22, 1841

Sur. General.